

# Technical data sheet

## Product features



### Ice maker hollow ice cube 22 g water cooling 56 kg/24h

<b>Model</b>	<b>SAP Code</b>	00018495
--------------	-----------------	----------



- Cooling type: Water
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 56
- Water consumption [ l/h ]: 30.50
- Container for ice: Yes
- Ice storage capacity [kg]: 25
- Material: AISI 304

<b>SAP Code</b>	00018495	<b>Water consumption [ l/h ]</b>	30.50
<b>Net Width [mm]</b>	535	<b>Production per day [kg]</b>	56
<b>Net Depth [mm]</b>	595	<b>Type of ice</b>	Hatter
<b>Net Height [mm]</b>	894	<b>Weight of ice [g]</b>	22.00
<b>Net Weight [kg]</b>	56.00	<b>Ice storage capacity [kg]</b>	25
<b>Power electric [kW]</b>	0.420	<b>Max supply water temperature [°C]</b>	38
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Min supply water temperature [°C]</b>	5
<b>Cooling type</b>	Water	<b>Drain pump</b>	No

# Technical data sheet

Technical drawing






Ice maker hollow ice cube 22 g water cooling 56 kg/24h

Model

SAP Code

00018495



\* All measurements in mm.  
\* Todas las cotas en mm.

# Technical data sheet

## Product benefits



Ice maker hollow ice cube 22 g water cooling 56 kg/24h

Model

SAP Code

00018495

1

### **Firm and crystal clear ice hats**

icy hats without dirt

- health safety and aesthetic impression

2

### **A3S: System with flexible nozzles with minor vibrations**

prevents limescale from settling.

- longer life of the device without the need to remove scale

3

### **SFVS front ventilation**

allows the units of the unit to the interior

- variability of the location of the device

4

### **Cleaning switch**

disconnects the cooling system when circulating water with a limescale removal product

- saving human work and time

5

### **Motor pump "NEVER STOP" (construction without seal)**

prevents depreciation in hard water

- longer life of the device without the need to remove scale = economic and time savings

6

### **EASI: Installation and service system - all panels can be removed separately**

easy access for installation and service.

- saving time, human work, costs

7

### **Printed circuit board at the bottom**

easy service

- saving time and human work

8

### **Tropical version of the machine (class t)**

adaptation to extreme climatic conditions.

- use in extreme climatic conditions

9

### **Stif: a construction supported by 4 -steel columns**

strength

- the possibility of higher loads and a difficult deformation

# Technical data sheet

## Technical parameters



Ice maker hollow ice cube 22 g water cooling 56 kg/24h

Model

SAP Code

00018495

**1. SAP Code:**

00018495

**2. Net Width [mm]:**

535

**3. Net Depth [mm]:**

595

**4. Net Height [mm]:**

894

**5. Net Weight [kg]:**

56.00

**6. Gross Width [mm]:**

610

**7. Gross depth [mm]:**

650

**8. Gross Height [mm]:**

920

**9. Gross Weight [kg]:**

61.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.420

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R290

**14. Cooling type:**

Water

**15. Material:**

AISI 304

**16. Exterior color of the device:**

Stainless steel

**17. Min ambient temperature [°C]:**

10

**18. Max ambient temperature [°C]:**

43

**19. Additional information:**

Max. height with legs 944 mm

**20. Production per day [kg]:**

56

**21. Water consumption [ l/h ]:**

30.50

**22. Door of device:**

Full

**23. Type of ice:**

Hatter

- Kloboučkový

**24. Weight of ice [g]:**

22.00

**25. Container for ice:**

Yes

**26. Ice storage capacity [kg]:**

25

**27. Max supply water temperature [°C]:**

38

**28. Min supply water temperature [°C]:**

5

# Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g water cooling 56 kg/24h

<b>Model</b>	<b>SAP Code</b>	00018495
--------------	-----------------	----------

**29. Drain pump:**

No