

Technical data sheet

Product features



Ice maker hollow ice cube 22 g air cooling with drain pump 30 kg/24h

Model	SAP Code	00018537
--------------	-----------------	----------



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 30
- Water consumption [l/h]: 3.40
- Container for ice: Yes
- Ice storage capacity [kg]: 15
- Material: AISI 304

SAP Code	00018537	Cooling type	Air
Net Width [mm]	405	Water consumption [l/h]	3.40
Net Depth [mm]	515	Production per day [kg]	30
Net Height [mm]	744	Type of ice	Hatter
Net Weight [kg]	41.00	Weight of ice [g]	22.00
Power electric [kW]	0.340	Ice storage capacity [kg]	15
Loading	230 V / 1N - 50 Hz	Drain pump	Yes

Technical data sheet

Technical drawing







Ice maker hollow ice cube 22 g air cooling with drain pump 30 kg/24h

Model

SAP Code

00018537



* All measurements in mm.
* Todas las cotas en mm.

Technical data sheet

Product benefits



Ice maker hollow ice cube 22 g air cooling with drain pump 30 kg/24h

Model	SAP Code	00018537
--------------	-----------------	----------

- 1 Firm and crystal clear ice hats**
icy hats without dirt
 - health safety and aesthetic impression
- 2 A3S: System with flexible nozzles with minor vibrations**
prevents limescale from settling.
 - longer life of the device without the need to remove scale
- 3 SFVS front ventilation**
allows the units of the unit to the interior
 - variability of the location of the device
- 4 Cleaning switch**
disconnects the cooling system when circulating water with a limescale removal product
 - saving human work and time
- 5 Motor pump “NEVER STOP” (construction without seal)**
prevents depreciation in hard water
 - longer life of the device without the need to remove scale = economic and time savings
- 6 EASI: Installation and service system - all panels can be removed separately**
easy access for installation and service.
 - saving time, human work, costs
- 7 Printed circuit board at the bottom**
easy service
 - saving time and human work
- 8 Tropical version of the machine (class t)**
adaptation to extreme climatic conditions.
 - use in extreme climatic conditions
- 9 Stif: a construction supported by 4 -steel columns**
strength
 - the possibility of higher loads and a difficult deformation

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling with drain pump 30 kg/24h

Model	SAP Code
	00018537

1. SAP Code:

00018537

2. Net Width [mm]:

405

3. Net Depth [mm]:

515

4. Net Height [mm]:

744

5. Net Weight [kg]:

41.00

6. Gross Width [mm]:

480

7. Gross depth [mm]:

580

8. Gross Height [mm]:

870

9. Gross Weight [kg]:

48.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.340

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Air

15. Material:

AISI 304

16. Min ambient temperature [°C]:

10

17. Max ambient temperature [°C]:

43

18. Production per day [kg]:

30

19. Water consumption [l/h]:

3.40

20. Type of ice:

Hatter

- Kloboučkový

21. Weight of ice [g]:

22.00

22. Container for ice:

Yes

23. Ice storage capacity [kg]:

15

24. Drain pump:

Yes

25. Cross-section of conductors CU [mm²]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)

26. Water supply connection:

3/4"

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling with drain pump 30 kg/24h

Model

SAP Code

00018537

27. Diameter nominal:

DN 50