Product features



| Universal mixer planetary 3 speed 24 l 230 V | | | | |
|--|----------|---|--|--|
| Model | SAP Code | 00003702 | | |
| | | Control type: Mechanical Safety cover: stainless steel with a Start /stop: Yes Safety element: total stop completed evice in case of opening the consoperator from injury Number of speeds of device: 3 Standard equipment for device: b Additional information: meat grint 10l kettle with reduction Mixing system: With a fixed contait Way of tool mounting: Planets | ete stop of the tainer protects the oiler, whisk, hook, stirrer der, vegetable slicer and | |
| SAP Code | 00003702 | Power electric [kW] | 0.565 | |
| Net Width [mm] | 570 | Loading | 230 V / 1N - 50 Hz | |

| SAP Code | 00003702 | Power electric [kW] | 0.565 |
|-----------------|----------|--|--------------------|
| Net Width [mm] | 570 | Loading | 230 V / 1N - 50 Hz |
| Net Depth [mm] | 557 | Bowl lift | Mechanical |
| Net Height [mm] | 910 | Weight capacity of the device container [kg] | 24.00 |
| Net Weight [kg] | 115.00 | _ | |

Technical drawing





Universal mixer planetary 3 speed 24 l 230 V

Model

SAP Code

00003702







| Universal mixer planetary 3 speed 24 l 230 V | | | | |
|--|--|----------|--|--|
| _ | | | | |
| Model | SAP Code | 00003702 | | |
| 1 | Planetary storage of attachments with 3 speeds the attachments rotate around their axis and at the same time go around in a circle – better mixing of ingredients; better quality of prepared dough | | | |
| 2 | Additional devices | | | |
| | the possibility of grinding or grinding, or wiper arms, or handling carts – mutifunctionality | | | |
| | Content 5 80L | | | |
| 3 | wide sortiment | | | |
| | always the ideal size for every operation | | | |
| | Safety microswitch | | | |
| 4 | without closing the microswitch, the machine will not start | | | |
| | avoiding possible injury to the operator | | | |
| | Protective cover with filling opening | | | |
| 5 | without closing the microswitch, the machine will not start | | | |
| | Ingredients can be added additionally while ensuring the safety of the staff | | | |
| | Whisk, hook, stirrer | | | |
| 6 | great basic equipment | | | |
| | there is no need to buy additional equipment for whipping or kneading | | | |
| 7 | No oil bath | | | |
| | the robot has a gearbox that is not stored in an oil basin | | | |
| l | – no release of gear oil into the food | | | |
| 0 | Reduction boiler | | | |
| ð | possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original | | | |
| | simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards | | | |

Technical parameters



| Universal mixer planetary 3 spe | eed 24 l 230 V | |
|---|----------------|--|
| Model | SAP Code | 00003702 |
| | | |
| 1. SAP Code: 00003702 | | 15. Safety cover: stainless steel with a filling hole |
| 2. Net Width [mm]: 570 | | 16. Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury |
| 3. Net Depth [mm]: 557 | | 17. Way of tool mounting: Planets |
| 4. Net Height [mm]: 910 | | 18. Safety Microswitch: Yes |
| 5. Net Weight [kg]: 115.00 | | 19. Start /stop: Yes |
| 6. Gross Width [mm]: 600 | | 20. Timer: Yes |
| 7. Gross depth [mm]: 590 | | 21. Standard equipment for device: boiler, whisk, hook, stirrer |
| 8. Gross Height [mm]: 1000 | | 22. Additional information: meat grinder, vegetable slicer and 10l kettle with reduction |
| 9. Gross Weight [kg]: 135.00 | | 23. Unmountable bowl: Yes |
| 10. Device type: Electric unit | | 24. Bowl lift: Mechanical |
| 11. Power electric [kW]: 0.565 | | 25. Suitable operations: Mixing, whipping and kneading |
| 12. Loading: 230 V / 1N - 50 Hz | | 26. Mixing system: With a fixed container |
| 13. Number of speeds of device: 3 | | 27. Weight capacity of the device container [kg]: 24.00 |
| 14. Control type: Mechanical | | |