

Technical data sheet

Product features



Ice maker air cooling ice cube 18 g 46 kg / 24 h

Model	SAP Code	00006283
IMC 4625 A	A group of articles - web	Ice makers



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Cube
- Weight of ice [g]: 18.00
- Production per day [kg]: 48
- Water consumption [l/h]: 3.00
- Container for ice: Yes
- Ice storage capacity [kg]: 25
- Material: Stainless steel

SAP Code	00006283	Water consumption [l/h]	3.00
Net Width [mm]	500	Production per day [kg]	48
Net Depth [mm]	580	Type of ice	Cube
Net Height [mm]	800	Weight of ice [g]	18.00
Net Weight [kg]	63.00	Ice storage capacity [kg]	25
Power electric [kW]	0.500	Max supply water temperature [°C]	32
Loading	230 V / 1N - 50 Hz	Min supply water temperature [°C]	3
Cooling type	Air		

Technical data sheet

Product benefits



Ice maker air cooling ice cube 18 g 46 kg / 24 h

Model	SAP Code	00006283
IMC 4625 A	A group of articles - web	Ice makers

1

ABS plastic

harmless to health

2

Without freon

does not destroy the environment

3

All-stainless design

corrosion resistance

4

Short cycle

done in 13 min

Technical data sheet

Technical parameters



Ice maker air cooling ice cube 18 g 46 kg / 24 h

Model	SAP Code	00006283
IMC 4625 A	A group of articles - web	Ice makers

1. SAP Code:

00006283

2. Net Width [mm]:

500

3. Net Depth [mm]:

580

4. Net Height [mm]:

800

5. Net Weight [kg]:

63.00

6. Gross Width [mm]:

550

7. Gross depth [mm]:

630

8. Gross Height [mm]:

850

9. Gross Weight [kg]:

70.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.500

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Air

15. Material:

Stainless steel

16. Min ambient temperature [°C]:

10

17. Max ambient temperature [°C]:

43

18. Production per day [kg]:

48

19. Water consumption [l/h]:

3.00

20. Type of ice:

Cube

21. Weight of ice [g]:

18.00

22. Container for ice:

Yes

23. Ice storage capacity [kg]:

25

24. Max supply water temperature [°C]:

32

25. Min supply water temperature [°C]:

3

26. Cross-section of conductors CU [mm²]:

0,5

27. Water supply connection:

3/4"

28. Diameter nominal:

DN 50